

OE-CC3022T5

## **5MP Cloud IP Turret Camera**

Equipped with a 5MP lens, the OE-CC3022T5 cloud camera features onboard recording, a dedicated analytics processor, and all the benefits of OpenEye Web Services.



#### ONBOARD RECORDING

Record directly on the camera and access video seamlessly from the cloud.



#### **HIGH DYNAMIC RANGE**

Achieve crystal clear image clarity in diverse lighting with advanced HDR technology.



## **ADVANCED ANALYTICS**

Get a more intelligent & aware solution with advanced analytics processing.



## **CLOUD CAMERA**

Streamline surveillance with an all-in-one video solution, featuring onboard recording and advanced analytics processing.



#### 5MP

Experience clear imagery with 5MP resolution, boosting your video quality.

#### **CAMERA SPECIFICATIONS**

OPTICAL				
Image Sensor	Sony IMX675 (1/2.8" Progressive CMOS)			
Effective Pixels	5MP (2592x1944)			
Lens Type	Fixed			
Focal Length	2.8mm			
Field of View	TBD			
Iris	Fixed			
Day/Night	Auto (ICR)			
Dynamic Range	Digital Overlap High Dynamic Range			
IR Cut Filter	Yes			
IR Range	Built-in IR & White Light LEDs: Up to 98'			

 Compression
 H.264

 Configurable Video Profiles
 Main Profile, High Profile

 Frame Rate
 Up to 30FPS

 Image Rotation
 0°, 90°, 270°, Image Flip, Image Mirror

## CONNECTIONS

EthernetRJ45, 10/100MbpsPower SourcePoE 802.3af/12vDCOnboard Storage512GB, 1TB, 1.5TB<br/>MicroSD, SDXC

#### **GENERAL**

CPU Ambarella CV22S66 Smart Motion, Person, Vehicle, Intrusion, Loitering, Line Crossing **OWS AI Capable** Analytics dependent on license tier. See OWS Licensing for more information. **Ingress Protection Impact Rating** IK10 -4° ~ 140°F (-20° ~ 60°C) **Operating Temperature** Humidity 90% R.H. 4.7" x 4.17" (120 x 106mm) **Dimensions** Weight TBD Pan/Tilt/Rotate Pan:  $360^{\circ}$  | Tilt:  $360^{\circ}$  | Rotate:  $360^{\circ}$ 

Country of Origin Taiwan

NDAA Compliant Yes

#### POWER


Max Power Consumption (IR On) TBD


## **CERTIFICATIONS**

Certifications UL, cUL, CE, UKCA, FCC Part 15 Subpart B Class A


openeye.net 38283AA

## **DIMENSIONS**





## **ADAPTER PLATE**



## ADAPTER PLATE COMPATIBILITY

- A: Single Gang Electrical Box
- **B:** Double Gang Electrical Box
- C: 4" Round Electrical Box
- D: OE-CA30PC-01
- E: OE-CA30JB-01
- F: OE-CA30WM-01

openeye.net 38283AA





30-Series Junction Box OE-CA30JB-01



30-Series Pendant Cap OE-CA30PC-01



30-Series Wall Mount OE-CA30WM-01



30-Series Junction Box OE-CA30JB-01B



30-Series Pendant Cap OE-CA30PC-01B



30-Series Wall Mount OE-CA30WM-01B



Paintable Dome Cover OE-CA00PDC-03

# **Accessory Kits**



30-Series Wall Mount Kit with Outdoor Junction Box OE-CA30WMKIT-01



30-Series Wall Mount OE-CA30WM-01



Indoor/Outdoor 7" Junction Box OE-CA00JB-01



30-Series Pole Mount Kit with Outdoor Junction Box OE-CA30PMKIT-01



30-Series Wall Mount OE-CA30WM-01



Indoor/Outdoor 7" Junction Box OE-CA00JB-01



Pole Mount Kit OE-CA00PMK-01



30-Series Ceiling Mounted Pole Kit with Pendant Cap OE-CA30CPKIT-01



30-Series Pendant Cap OE-CA30PC-01



Ceiling-Mounted Pole OE-CA00CMP-01



30-Series Wall Mount Kit with Pendant Cap

OE-CA30WMKIT-02



30-Series Pendant Cap OE-CA30PC-01



Indoor/Outdoor Wall Mount OE-CA00WM-01



30-Series Corner Mount Kit with Pendant Cap OE-CA30CMKIT-01



30-Series Pendant Cap OE-CA30PC-01



Indoor/Outdoor Wall Mount OE-CA00WM-01



Corner Mount OE-CA00CM-01



30-Series Pole Mount Kit with Pendant Cap OE-CA30PMKIT-02



30-Series Pendant Cap OE-CA30PC-01



Indoor/Outdoor Wall Mount OE-CA00WM-01



Pole Mount Kit OE-CA00PMK-02