



OE-MC

OE-MC Series Cloud-Managed Appliance

A cost-effective, IP recording solution, the OE-MC is available with a dedicated camera network, 2-drive capacity and advanced analytics.



2 Drive Capacity

Record video on up to 2 drives for increased storage retention.



Dedicated Camera Network

Isolate video traffic for enhanced security and performance.



Advanced Analytics

Get a more intelligent & aware solution with advanced analytics processing.



Cost-Effective

Maximize value with reliable performance at an affordable price.



Specifications

	OE-MCXxx
Max Channel Count	24
Max Recording Rate	150Mbps
Generation	1
Video Outputs	1x HDMI®, 1 DisplayPort
USB Ports	Front: 2x USB 2.0 Rear: 2x USB 3.0
Operating System	Linux
Storage Drives (QTY) / Capacity (Size)	Up to 2 Drives / Up to 48 TB
Network	1x 1GbE (1 Gbps / 100 Mbps) — Client Network Interface 1x 1GbE (1 Gbps / 100 Mbps) — Camera Network Interface
Power Supply	100W
Power Rating	100-240V~, 2.5A, 50-60Hz
Max Power Consumption	Max: 30W Nominal: 27W
Max Operating Temperature	140°F (60°C)
Country of Origin	Taiwan
Dimensions	8.7" x 1.7" x 10.8" (221 x 44 x 275mm)
Unit Weight	3.5lbs (1.59 kg)
Certifications	CE, FCC, UL, cUL, NDAA, TAA
SSD OS Drive	Standard
Audio Support	IP Camera Audio (dependent on camera)

Analytic & Software Capabilities	
OWS AI Capable	Subject to limitations. Analytic channel count may vary according to system configuration, licensing terms, and operating conditions. Click here to learn more. ¹
Smart Motion	Linux 24
Person & Vehicle	Linux 10
Remote Clients	OWS Cloud Portal, Command Station Desktop Client, OWS Server Software, OpenEye Mobile Apps
Video Signal Loss Detection	Yes
Recording Mode	Continuous, Event, Continuous + Event
Backup	Cloud, Network, USB
Digital Signature Support	MP4 and JPG

What's Included	
Mounting Hardware Included	Wall Mount Brackets
Additional Box Contents	Power Cord, Mouse


Upgrades	
Performance Upgrades	N/A

¹. Capable of running analytics but requires additional licensing and/or hardware compatibility




Dimensions

OE-MCXxx (Front)



OE-MCXxx (Back)



MODELS

OE-MCXxx-L

xx = TB Storage Configuration

